


L \ Ø	1.50	2.00	2.25	2.50	2.75	3.00	3.50	4.00	4.50
8	✓	✓	✓	✓	✓	✓	✓	✓	✓
10	✓	✓	✓	✓	✓	✓	✓	✓	✓
12	✓	✓	✓	✓	✓	✓	✓	✓	✓
15	✓	✓	✓	✓	✓	✓	✓	✓	✓
20	✓	✓	✓	✓	✓	✓	✓	✓	✓



Yukon NC Prime Compliance Chart

Pressure bar	Ø1.50 (mm)	Ø2.00 (mm)	Ø2.25 (mm)	Ø2.50 (mm)	Ø2.75 (mm)	Ø3.00 (mm)	Ø3.50 (mm)	Ø4.00 (mm)	Ø4.50 (mm)	Ø5.00 (mm)
8	1.45	1.94	2.18	2.42	2.66	2.90	3.39	3.87	4.36	4.84
9	1.46	1.95	2.20	2.44	2.68	2.93	3.42	3.90	4.39	4.88
10	1.48	1.97	2.21	2.46	2.71	2.95	3.44	3.94	4.43	4.92
11	1.49	1.98	2.23	2.48	2.73	2.98	3.47	3.97	4.46	4.96
12NP	1.50	2.00	2.25	2.50	2.75	3.00	3.50	4.00	4.50	5.00
13	1.51	2.02	2.27	2.52	2.77	3.02	3.53	4.03	4.53	5.04
14	1.52	2.03	2.28	2.54	2.79	3.05	3.55	4.06	4.57	5.08
15	1.53	2.04	2.30	2.56	2.81	3.07	3.58	4.09	4.60	5.11
16	1.54	2.06	2.32	2.57	2.83	3.09	3.60	4.12	4.63	5.15
17	1.55	2.07	2.33	2.59	2.85	3.11	3.63	4.14	4.66	5.18
18	1.56	2.09	2.35	2.61	2.87	3.13	3.65	4.17	4.69	5.22
19	1.58	2.10	2.36	2.63	2.89	3.15	3.68	4.20	4.73	5.25
20 RBP	1.59	2.11	2.38	2.64	2.91	3.17	3.70	4.23	4.76	5.29
21	1.60	2.13	2.39	2.66	2.93	3.19	3.72	4.26	4.79	5.32
22	1.61	2.14	2.41	2.68	2.95	3.21	3.75	4.28	4.82	5.39

Technical Data

Nominal Pressure	06 atm
Rated Burst Pressure	14 atm
Catheter System	Rapid Exchange
Balloon Material	Nylon (Semi- Compliance)
Usable Catheter Length	140 cm
Guide wire compatibility	0.014" (0.36mm)
Guide Catheter compatibility	5F
Radio Opaque Marker	Platinum / Iridium
Tip Length	2 mm
Lesion entry Profile	0.016"
Distal Shaft Diameter	0.035"
Proximal Shaft Diameter	0.026"
Markers on Proximal Shaft	90 cm and 100 cm




# Yukon SC *Prime*

## Dual Balloon Markers

- ▶ Radiopaque markers swaged in inner tube

## 3 mm Flexible Tip



● **Low Lesion entry profile of 0.016"**

## HydraGlide Technology

- ▶ lubricious coating for easier advancing
- ▶ Optimizing crossability ensuring low vessel trauma

**0.021"**

## Ultra Low Crossing Profile

Engineered to swiftly cross challenging anatomies



## Unique Trans Fold Wrap

- ▶ Dual and Triple fold technique for minimal profile
- ▶ Allows optimal recrossability

## Seamless Micro Tip

- ▶ Innovative design to ensure minimum vessel trauma
- ▶ Crafted to achieve more flexibility